COLOP MARKING SOLUTIONS

COLOD 3360 OD

DI D'ALTA'S SHOP

COL 3300 0/2

Printer 30

LOP.

The Spirit of Innovation

COLOPer C30

S. I.L.

d0103



Printer Line Standard, Printer Compact Line	6-7
Printer Line Rectangular, Oblong, Triangular, Square, Round, Oval	8-12
Printer Line Dater Rectangular, Square, Triangular, Oval, Round	13-16
Printer S 200, Printer Mini Line	17-19
Stock Text Stamps	20
Expert Line	22-25
Classic Line	26-29

Office Line 30



Pocket Stamp Plus, Pocket Stamp	32-33
Stamp Mouse	34
Stamp Writer, Pen Stamp Touch	35



D-I-Y Sets	40
------------	----



Green Line	42-44



Spare Pads	5-47



Band Stamps, Special Character Bands	49-51
Die-Plate-Daters	52-53
Numrex, Swing Stamps	54



Stamp Pads, Stamp Inks	
------------------------	--



Embossing Presses	59
Materials for Textplate Production	60

About us

The Spirit of Innovation



Global Player. COLOP is one of the world's leading manufacturers of modern stamp and marking devices. With more than 500 employees and numerous subsidiaries worldwide, COLOP exports to more than 130 countries with an export rate higher than 98 %. Continuous growth is firmly rooted in COLOP's corporate philosophy, which ensures that the globally increasing demand for high-quality European stamp products can continue to be met in the future. It was for this reason that a major expansion of the production capacity was carried out in the last few years at both the parent plant in Wels, Austria, and at the company's second production site in the Czech Republic. COLOP operates in three business areas: in the standard stamps segment, in the digital marking area as well as in the field of arts and crafts.



Innovation & Design. Since it was founded some 40 years ago, COLOP has been committed to product innovation in the field of state-of-the-art marking devices, particularly stamps. In 2008, for instance, the company introduced 'Green Stamps' into the stamp world. These stamps are made predominantly from recycled or renewable raw materials. Stamps with antibacterial protection are another of the company's significant innovations. With the Printer stamp line, the personalisation of stamps has become a trend. In 2019 COLOP introduced the world's first electronic-digital stamp and marking device for mobile printing of its kind – the COLOP e-mark[®].



Marking Solutions. The range of products comprises a large selection of stamp solutions for different applications, including office and pocket stamps, text and date stamps, rectangular and round stamps. COLOP also supplies all the products and systems necessary to ensure a high-quality stamp imprint. The range of services offered by COLOP is rounded off by e-business solutions for the creation of text plates and the sale of stamp products online, as well as software tools for the personalisation of ImageCards[™].



Quality & environmental management. COLOP's environmental management system has been ISO 14001 certified for many years, which ensures that all processes have been optimised from an ecological perspective. The company has however also had the conviction to make a voluntary, above-average contribution to environmental issues, going above and beyond the strict EU and national regulations. COLOP has been ISO 9001 certified since 2001. This certification forms the basis for a continual improvement process as part of the company's excellent internal quality management system.



CO₂ neutral. As early as during product development, attention is paid to resource conservation and the use of sustainable materials. The use of recycled plastics is constantly optimised and increased, and energy and raw materials are used as efficiently as possible. The in-house photovoltaic system produces a considerable part of the electricity required at the Wels site. The significantly reduced but unavoidable CO₂ emissions of products - manufactured at one of the two production sites in Wels, Austria or Borovany, Czech Republic - are offset by investments in climate protection projects (Gold Standard projects). This means that more than 90 % of all products in the COLOP stamp range can be described as climate neutral.



High tech production. A modern and efficient production process is of great importance to COLOP, paying special attention to the energy resources required. Fully automated production and manufacturing of key product lines, ongoing modernisation and upgrading of machinery and constant process optimisations all ensure high quality products and an energy-efficient manufacturing process.


Printer Line

The comprehensive range of self-inking stamps


The Printer Line offers a complete choice of sizes from small and handy up to large and generous the largest range of formats from round to oval and even a triangle.







Offers a wide range of text-, dater- and text-dater-stamps and even stamps equipped with stock text



COLOR

Almost all common sizes are available from very small up to X-large imprints

Printer 30

printer F



Bands with individual characters available for various models



Available in all kinds of formats from rectangular to triangular as well as from round to oval and more. For eye-catching and outstanding imprints

COLOP Printer

Unlimited personalisation

XXL image window for first class personalisation (patent pending). Extended "private label" area keeps rubber stampmaker in customers' mind. Marketing opportunity brings dealer brand to the end user.



COLOP Printer Compact

Made to impress

Smart size, light weight, high quality. Innovation "Made In Austria"



Available with transparent and opaque base and in popular colours



Innovative locking system for easy but safe handling (patent pending)



Higher level of text plate holder for quick and easy text plate assembly





Rectangular index cards easy to print on, easy to exchange

- Highest quality and document proof ink
- Backward compatible ink pads
- Transparent base



Ribs on the handle for comfortable handling




Anti sliding technology with two-component injection moulding for long-lasting grip



Perfectly integrated and self-locking cover makes the stamp mobile

and protects against dirt and damage. No additional locking necessary.



37 x 76 mm

Fax: 0123 456 7891

sales@britishcargooverseas.co.uk www.britishcargooverseas.com

recommended number of lines


8

	Kenneth Clark	Printer C 10
COLOR	Unit 90A, Valepits Road, Barretts Grove Birmingham B66 9TD	colour of handle spare pad
anno CEL		recommended number of lines optional: cove
		Printer C 20
	MARY COOPER 28 Hucclecote Road • Gloucester GL5 9TH	size of imprint packaging
	Tel: 1452 54 33 21 e-mail: mary@cooper.co.uk	spare pad
proder C 20	14 x 38 mm	recommended number of lines cover
-	CORDONIALIZER	Printer C 30
	GORDON WALKER 5 Moore Road, Aberdeen AB13 6BE Tel: 1234 80 63 62	size of imprint packaging
	mobile: 0555 456 890 e-mail: gordon@walker.co.uk	spare pad
COLOP. printer C 30	18 x 47 mm	recommended number of lines cove
	DED GVIEG I TD	Printer C 40
	RED SKIES LTD Advertising Agency Parker Tower 43	size of imprint packaging
COLOP	49 Parker St WC2B 5PS London Tel: 55 74 30 63 00 - Fax: 55 74 30 63 19	spare pad
printer C 40	e-mail: red@skies_ltd.co.uk 23 x 59 mm	recommended number of lines optional: cove
	LANCASTER GARDEN PRODUCTS	Printer C 50
	Gardening - Equipment and Supplies Stockton Lane • York YO65 5UE	size of imprint packaging
	Tel: 1555 40 01 41 Fax: 1555 40 01 85	colour of handle spare pad
printer C 50	e-mail: lancaster@garden.co.uk e-mail: garden@equip_supplies.co.uk 30 x 69 mm	recommended number of lines
	BRITISH CARGO OVERSEAS	Printer C 60
	INTERNATIONAL TRANSPORT LTD North London Freight Centre	37x76 size of imprint packaging
-	York Way, Kings Cross, London N3 8BB Tel: 0123 456 7890	spare pad
COLOP printer C 60	Fax: 0123 456 7891 sales@britishcargooverseas.co.uk	recommended number of lines
printer 0 00	www.britishcargooverseas.com	

Printer Line







Advertising Agency • Tampa, Florida 94836 • colour of handle

spare pad

12 x 12 mm	Printer Q 12 Imm size of imprint Imm colour of handle Imm colour of handle Imm colour of handle
00X 17 x 17 mm	KULIAL Printer Q 17 KADLE 10 GATE 17%17 size of imprint colour of handle recommended number of lines

Future

Design

Printe	er Q 20		
20 x 20 mm	size of imprint		packaging
	colour of handle	E/Q20	spare pad
=5=	recommended number of lines		

packaging

spare pad

packaging


spare pad

packaging

spare pad

E/Q17

optional: stamp with keyring







COLOR


Route To:

□ Training Director

Personnel Director

□ Office Manager

Sales Manager







Printe	er R 12		
Ø12 mm	size of imprint		packaging
888	colour of handle	E/R12	spare pad
=2=	recommended number of lines	Ô	optional: stamp with keyring
























Printe	er R 40		
Ø40 mm	size of imprint		packaging
888	colour of handle	E/R40	spare pad
=7=	recommended number of lines	E/R40/2	optional: spare pad (2-colour)

12 | PRINTER LINE Round | Oval





Printe	er R 45		
Ø 45 mm	size of imprint		packaging
888	colour of handle	E/R45	spare pad
9	recommended number of lines		






Printe	er R 50		
Ø 50 mm	size of imprint	Ĩ	packaging
888	colour of handle	E/R50	spare pad
-9-	recommended number of lines	E/R50/2	optional: spare pad (2-colour)












Printe	er Oval 55		
35 x 55 mm	size of imprint		packaging
888	colour of handle	E/Oval 55	spare pad
6	recommended number of lines		









packaging

spare pad

optional: spare pad (2-colour)

Printer 38-Dater

size of imprint

colour of handle

height of date

recommended number of lines

33 x 56 mm

4mn

5*





33 x 56 m





Appr.

Printer Line

oM

F&E:



CHECKED 12 NOV 32 GEORGE BARET EXPORT DEPARTMENT 24 x 24 mm	Printer Q 24-Dater24x24 mmsize of imprint55*recommended number of linescolour of handleimplicationpackaging11implicationimplicationspare pad
C CASH SALE C I CASH SALE H I 12 NOV 2032 G •33• G 0 31x 31 mm	Printer Q 30-Dater111packaging1111packaging11111packaging111<
ALL CHANGES CERTIFIED 12 NOV 2032 Adjustment Department QUALITY CONTROL Quaker Oil & Motor	Printer Q 43-Dater43x43 mmsize of imprintimprintpackagingcolour of handleimprintimprintspare padimprintcolour of handleimprintspare padimprintheight of dateimprintoptional: spare pad (2-colour)imprintrecommended number of linesimprintimprint
12 NOV 32 Advertising Agency • Tampa, Florida 94836 •	Printer T 45-Dater45x45xsize of imprint55*recommended number of linescolour of handleipackagingiiispare pad
NICOLE'S PARTEE TYME	Printer Oval 55-Dater





Printe	er Oval 55-D	ater	
35 x 55 mm	size of imprint	-5 *	recommended number of lines
8	colour of handle		packaging
	height of date	E/Oval 55	spare pad

Printer Line





* includes one line for the date

issac



	12 NOV 2032 12 3 4 5 6	Printer S 220 / S 226 colour of handle i i i i packaging colour of handle i i i i packaging i i i i i i i i i i i i i i i i i i i
	ORIGINAL AIR MAIL D R A F T APPROVED FILE COPY CANCELLED FIRST CLASS CONFIDENTIAL ORIGINAL CONFIRMATION S H R E D C O P Y URGENT!	Printer S 220/W colour of handle \$\$\vee\$200\$ spare pad colour of handle \$\$\vee\$200\$ spare pad ABC height of phrase band \$\$\$optional: Green Line image: the spare packaging \$
COLOR Protes & BODA! RECEIVED IN IN IN	RECEIVED 12 NOV 2032 BY: 24 x 45 mm	Printer S 260/L 24x45 size of imprint \$200 spare pad colour of handle \$2002 optional: spare pad (2-colour) definition height of date optional: Green Line image: packaging packaging
	Australian National Flag Association 365 KENT STREET SYDNEY 2000 AUSTRALIA Ph. (02) 223 45 78 Fax: (02) 223 67 35 24 x 45 mm	Printer S 200 ^{24x45} ^{mm} ^{size} of imprint ^{mm} ^{size} of imprint ^{colspan=1} ^{colspa=1} ^{colspan=1} ^{colspa=1}
	PRODUCTION No. 1 2 3 4 5 6	Printer S 226/P ^{24x45} size of imprint size of imprint colour of handle colour of handle colour of handle vare pad vare
COLO: pritar S. 200	SHIPPED 12 NOV 2032	Printer S 260 24x45 size of imprint packaging colour of handle E/2000 spare pad colour of handle E/2002 optional: spare

BY

Printe	er S 260		
24 x 45 mm	size of imprint		packaging
	colour of handle	E/200	spare pad
	height of date	E/200/2	optional: spare pad (2-colour)
<u>-3*</u>	recommended number of lines	Ø	optional: Green Line





Mini-Dater S 120/P

size of imprint

height of date

recommended number of lines packaging

spare pad

optional: spare pad (2-colour)

E/12

10 x 25 mm

2



COLOP mmadater e-m@iled	RECEIVED 170915 12 NOV 2032	$\begin{array}{c c} P \land I & D \\ \hline 12 & NOV & 2032 \end{array}$	Mini-Dater S 160/L Image: Colspan="2">Image: Colspan="2">Image: Colspan="2" Spare pad Image: Colspan="2" Spare pad Image: Colspan="2" Spare pad
	FAXED 12 NOV 2032	e-m@iled 77,00915	packaging packaging pad (2-colour)
	SCANNED 12 NOV 2032		



		Mini-Dater S 160
COLOP mini-dator site	5 x 25 mm GEORGE BARET EXPORT DEPARTMENT	size of imprint packaging
	12 NOV 2032	teight of date spare pad
		recommended number of lines expansion optional: spare pad (2-colour)



Please note our annual holiday: 12 NOV 2032 - 21 NOV 2032

CHECKED BY

GEORGE BARET

12 NOV 2032

 Mini-Dater S 160/DD

 3,5x49 mm
 size of imprint
 packaging

 1
 1
 packaging

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1

 1
 1
 1


 1
 1
 1

 1
 1
 1

 1
 1</t



Henry Wellington - Managing Director
8 x 52 mm




















Extremely reliable marking devices

Comprehensive range for every use: from Classic Line and Expert Line for sturdy and heavy use up to the light weight Office Line.







minimum 80% pure steel

Image window shows imprint and even offers space for further personalisation



Band cover for clean handling



Bands with individual characters available for various models



Easy to change ink pads






















3860			
49 x 68 mm	size of imprint		packaging
	height of date	E/2800	spare pad
<u>-9*</u>	recommended number of lines	E/2800/2	optional: spare pad (2-colour)





JANET WEBBERLEY
WINIFRED HOUSE
CORNELLS LANE
WIDDINGTON
ESSEX CB11 3SP
TEL: 01799 540846
24 x 41 mm





SOLD BY **PAUL' S PLUMBING SHOP** 418 HILLSIDE AVENUE TAMPA, FLORIDA 94836 PHONE: 348-9762









3400			
27 x 58 mm	size of imprint		packaging
	recommended number of lines	E/3400	spare pad






 SYDNEY 2000 AUSTRALIA

 Ph. (o2) 223 45 78 Fax: (02) 223 67 35


37 x 58 mm





BRITISH CARGO OVERSEAS INTERNATIONAL TRANSPORT LTD


North London Freight Centre York Way, Kings Cross, London N3 8BB Tel: 0123 456 7890 Fax: 0123 456 7891 www.britishcargooverseas.com sales@britishcargooverseas.co.uk



24 | HEAVY DUTY Expert Line












R 3040			
Ø40 mm	size of imprint		packaging
_7 _	recommended number of lines	E/R2040	spare pad



ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT

REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING:







3900				
55 x 106 mm	size of imprint		packaging	
<u>=12</u> =	recommended number of lines	E/3900	spare pad	

packaging

spare pad

optional: spare pad (2-colour)



M&CO Production Services Supplier Invoice Approval Date of Approval:	3960	
12 NOV 2032		e of imprint ight of date
AUTHORISATION CODING DETAILS		commended mber of lines
Sales Manager 55 x 106 mm		





3960 Double Date			
55 x 106 mm	size of imprint		packaging
	height of date	E/3900	spare pad
<u>=11*</u>	recommended number of lines		









JANET WEBBERLEY
WINIFRED HOUSE
CORNELLS LANE
WIDDINGTON
ESSEX CB11 3SP
TEL: 01799 540846
























ALL DIMENSIONS ARE CERTIFIED AS ON ORIGINAL DRAFT

REVISIONS MADE ARE RECORDED AND FILED BY THE FOLLOWING:

	Initials & Date	Dept.	
	Initials & Date	Dept.	
	Initials & Date	Dept.	
Z	19 x 68 mm		

2800			
49 x 68 mm	size of imprint		packaging
<u>=10:</u>	recommended number of lines	E/2800	spare pad

28 | HEAVY DUTY Classic Line










PRODUCTION No.

123456

2106/	Έ		
24 x 41 mm	size of imprint	E/2100	spare pad
<u>]</u>	height of numbers	E/2100/2	optional: spare pad (2-colour)
-3*	recommended number of lines	€ [#] №	optional: special characters
T	packaging		



	JOB #	200	8/P		
	12345678	1 ^{30x5} 1 30x5 1 30	height of	E/2600	packaging spare pad
	BERRY'S LITHOGRAPHERS	5		€ [#] №	optional: special characters





		2100/3 2100/4 2000/5
12 NOV 2032	2100/3	teight of date E/2100 spare pad 2100/3 2100/3
12 NOV 2032	2100/4	height of date E/2300 spare pad 2000/5
12 NOV 2032	2000/5	height of date packaging



		210
123456	2106	1 \23 4 m
12345678	2008	<u>]</u> (23
1234567890	2010	E/210

2106	2008	2010	
1 <mark>\23</mark> 4 mm	height of numbers 2106	E/2600	spare pad 2008, 2010
<u>]</u>	height of numbers 2008, 2010		packaging
E/2100	spare pad 2106	€#№	optional: special characters





2000/WD					
	height of date / phrase band	E/2600	spare pad		
	packaging				

30 | HEAVY DUTY Office Line











SOUTH CENTRAL DIVISION UNITED FOOD & COMMERCIAL WORKERS UNIONS AND EMPLOYEES 12 NOV 2032

> HEALTH AND WELFARE TRUST 3200 EAST HIGHWAY 66 PHOENIX, AZ 75150

37 x 58 mi





SOLD BY **PAUL'S PLUMBING SHOP** 418 HILLSIDE AVENUE TAMPA, FLORIDA 94836 PHONE: 348-9762







PISA TRAVEL AGENCY

SIGHTSEEING TOURS BOOKING OFFICE



570%	S 600 Green Line				
	37 x 58 mm	size of imprint		packaging	
	<u>=8</u> =	recommended number of lines	E/2600	spare pad	

Pocket Stamps

Essential companions

Multifunctional and always with you - on your desk in the office, or "on the road" in a pocket, around the neck or on a keyring.

COLOP

Mouse R40



Pocket Stamp Plus: open - stamp - close with just one hand



Easy and flexible to use - effortless and clean



Small, smart and portable - with a clip it goes everywhere



implements, but with the added function of a practical stamp

COLOP's pen stamps

are attractive writing




Modern design – the perfect gift for everyone

32 | POCKET STAMPS Pocket Stamp Plus




	clecote R: Tel:	Y CO oad • Glo 1452 543 nary@coo	oucester (33 21		
14 x 38	mm				
COLOR	COLOR	COLOR	COLOR	000	






























Pock	Pocket Stamp R 40					
Ø 40 mm	size of imprint		packaging			
	colours	E/Pocketstamp R4	0 spare pad			
7	recommended number of lines					

34 | POCKET STAMPS Stamp Mouse



